

Work Area 9 ICT SKILLS

4.9 USING SPREADSHEETS TO PRODUCE NON-ROUTINE COMPLEX SHEETS

 LO112: Demonstrate skills in using Spreadsheet software at an advanced level to produce complex worksheets that conform to agreed specifications. Take some responsibility for the evaluation of the result



Co-funded by the Erasmus+ Programme of the European Union



Module Details

EVEL 4

1

EUROPEA

Work Area Code:	9
Work area title:	ICT SKILLS
Unit Code:	4.9
Unit Title:	USE SPREADSHEETS TO PRODUCE NON-ROUTINE COMPLEX SHEETS
Learning Outcomes Nos:	LO112
Learning Outcomes titles:	Demonstrate skills in using Spreadsheet software at an advanced level to produce complex worksheets that conform to agreed specifications. Take some responsibility for the evaluation of the result
Recommended Duration:	3 hours
Trainer:	



Co-funded by the Erasmus+ Programme of the European Union



Specialized Operating Functions

This lesson has 3 objective points.

- A. Each one of you to come across with the most influential functions needed in a spreadsheet. This means Advanced Formulas and Functions like:
 - 1. What If Analysis
 - 2. Complex Formulas (Embedded if's etc.)
 - 3. And or Or functions
 - 4. Financial Functions
 - 5. Text Functions
 - 6. Advanced Filtering



Co-funded by the Erasmus+ Programme of the European Union



Specialized Operating Functions

- B. The knowledge of Protecting a Spreadsheet:
 - 1. The know How
 - 2. Some Advanced Properties in a spreadsheet
 - 3. How to Recognize Errors in Functions and Formulas
- c. In a certain Case Study, the production of the appropriate Functions needed and the selection of them will be produced by the users knowledge in a smooth and automated way:
 - 1. Selection of the proper formulas per case
 - 2. Automatic import of a function
 - 3. Check of the results
 - 4. Advanced charts and the tools needed in order to construct these charts



Co-funded by the Erasmus+ Programme of the European Union



More on Functions....

I know that most of you are dying to learn more about Functions and advanced formulas, protection of spreadsheets and so on.



In the next lecture....





Co-funded by the Erasmus+ Programme of the European Union



Target of Knowledge

Upon finishing this unit all participants would be able to create advanced formulas and functions in a spreadsheet.

We are going to analyze 5 major sections in a spreadsheet.

- 1. "What if" Analysis
- 2. Complex Formulas
- 3. And or Or Function
- 4. A Financial Function
- 5. An advanced Filtering



Co-funded by the Erasmus+ Programme of the European Union



What does it do:

Well, What-If Analysis in Excel allows you to try out different values (scenarios) for formulas.

The following example helps you master what-if analysis quickly and easily.

Lets try it out together.



Co-funded by the Erasmus+ Programme of the European Union



Data Entry

There are two ways to enter information into a cell:

1. Type directly into the cell.

Click on a cell, and type in the data (numbers or text) and press Enter.

2. Type into the formula bar.

Click on a cell, and then click in the formula bar (the space next to the). Now type the data into the bar and press Enter.



Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



Microsoft Excel Home Insert Page | Form | Data Reviev View | Acrob 🧐 Σ A Ë Alignment Number Styles Paste Font Cells Clipbo... Editir A1 Book1 B D 1 533.42 2 3 - 9- C- C3 Microsoft Excel 0.2 Home Insert Page | Formi Data Review View Acrob (Σ Paste Font Alignment Number Styles Cells 5 Editir Clipbo... A1 Book1 533.42 2 3 4 5 Edit 用口口 Ð

Assume you own a book store and have 100 books in storage. You sell a certain % for the highest price of 50 € and a certain % for the lower price of 20 €.

So lets make the next sheet by entering the data above.



Co-funded by the Erasmus+ Programme of the European Union



LEVEL 4

ASSISTANT

EUROPEAN PERSONAL

	D16	i 🔸 🕐 🕺			
4	А	В	С	D	E
1	Boo	k Store			
2					
3		total number of books	% sold for the highest price		
4		100	60%		
5					
6			number of books	unit profit	
7	1	highest price	60	50,00€	
8		lower price	40	20,00€	
9					
10			total profit	3.800,00€	
11					
12					
13					
14			1		

If you sell 60% for the highest price, cell D10 calculates a total profit of 60 * 50 \in + 40 * 20 \in = 3800 \in .



Co-funded by the Erasmus+ Programme of the European Union



Create Different Scenarios

But what if you sell 70% for the highest price? And what if you sell 80% for the highest price? Or 90%, or even 100%? Each different percentage is a different scenario.

You can use the Scenario Manager to create these scenarios.

You can simply type in a different percentage into cell C4 to see the corresponding result of a scenario in cell D10. However, what-if analysis enables you to easily compare the results of different scenarios. So far so good. Lets now see some steps for creating scenarios



Co-funded by the Erasmus+ Programme of the European Union



Step 1. On the Data tab, in the Forecast group, click What-If Analysis.

	F	→		-		6	1	, 2
Text to	Flash	Remove	Data	Consolidate	Relationships	Manage	What-If	Forecast
Columns	Fill	Duplicates	Validation -			Data Model	Analysis 🝷	Sheet
			Data T	īools			Fore	cast

Step 2. Click Scenario Manager.

<u>S</u> cenario Manager	Ν
<u>G</u> oal Seek	W
Data <u>T</u> able	




Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



PERSONAL ASSISTANT

The Scenario Manager dialog box appears.

Step 3. Add a scenario by clicking on Add.





Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein

eupa

next

Step 4. Type a name (60% highest), select cell C4 (% sold for the highest price) for the Changing cells and click on OK.

Add Scenario	?	\times
Scenario <u>n</u> ame:		
60% highest		
Changing <u>c</u> ells:		
SCS4		1
Ctrl+click cells to select non-adjacent changing cells.		
C <u>o</u> mment:		
Created by excel-easy.com on 2/21/2017		\sim
		Υ.
Protection		
Prevent changes		
Hi <u>d</u> e		
OK	Ca	ancel



Co-funded by the Erasmus+ Programme of the European Union



Step 5. Enter the corresponding value 0.6 and click on OK again.

Scenario Values		?	×
Enter values for each <u>1</u> : SC\$4	of the changing 6	cells.	
<u>A</u> dd	ОК	Ca	ncel



Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



LEVEL 4

ASSISTAN

PERSONAL

Step 6. Next, add 4 other scenarios (70%, 80%, 90% and

100%).

Finally, your Scenario Manager should be consistent with the picture below:

Scenario Manag	er	? ×
S <u>c</u> enarios:		
60% highest 70% highest	^	<u>A</u> dd
80% highest		Delete
90% highest 100% highest		
hiter and here		<u>E</u> dit
		<u>M</u> erge
		S <u>u</u> mmary
	×	
Changing cells:	SCS4	
Comment:	Created by excel-easy.co	om on 2/21/2017
	Ch	ow Close
	<u> 2</u> n	Close



Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein 77

ASSISTAN

In order to see the result of a scenario, select the scenario and click on the Show button. Excel will change the value of cell C4 accordingly for you to see the corresponding result on the sheet.



Co-funded by the Erasmus+ Programme of the European Union



Scenario Summary

To easily compare the results of these scenarios, execute the following steps.

1. Click the Summary button in the Scenario Manager.

2. Next, select cell D10 (total profit) for the result cell and click on OK.

Scenario Summary	?	×
Report type Scenario <u>s</u>ummary Scenario <u>P</u>ivotTable Result cells: 	e report	
=\$D\$10		1
ОК	Car	ncel



Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



イ

LEVEL

PERSONAL ASSISTANT

And the result is.....

Scenario Summ	Scenario Summary									
	Current Values:	60% highest	70% highest	80% highest	90% highest	100% highest				
Changing Cells:										
\$C\$4	60%	60%	70%	80%	90%	100%				
Result Cells:										
\$D\$10	\$3,800	\$3,800	\$4,100	\$4,400	\$4,700	\$5,000				
Notes: Current V	Current Values column represents values of changing cells at									
time Scenario Summary Report was created. Changing cells for each scenario are highlighted in gray.										

For conclusion:

If you sell 70% for the highest price, you obtain a total profit of 4100 €, if you sell 80% for the highest price, you obtain a total profit of 4400 €, etc.



Co-funded by the Erasmus+ Programme of the European Union



This is What if analysis looks like.... and that's how simple it can be to a spreadsheet.





Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



LEVEL 4

PERSONAL ASSISTANT

A simple formula is a mathematical expression with one operator, such as **7+9**. A **complex formula** has more than one mathematical operator, such as **5+2*8**. When there is more than one operation in a formula, the **order of operations** tells your spreadsheet which operation to calculate first. In order to use complex formulas, you will need to understand the order of operations.



Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



LEVEL 4

PERSONAL ASSISTANT

Complex Formulas

The order of operations

All spreadsheet programs calculate formulas based on the following **order of operations**:

- 1. Operations enclosed in parentheses
- 2. Exponential calculations (3^2, for example)
- 3. Multiplication and division, whichever comes first
- 4. Addition and subtraction, whichever comes first


A mnemonic that can help you remember the order is **PEMDAS**, or **Please Excuse My Dear Aunt Sally.**



Co-funded by the Erasmus+ Programme of the European Union



Complex Formulas






Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



LEVEL 4

PERSONAL ASSISTANT

Complex Formulas





Co-funded by the Erasmus+ Programme of the European Union



Lets demonstrate a complex formula using the order of operations.

Here, we want to calculate the cost of **sales tax** for a catering invoice. To do this, we'll write our formula as

=(D2+D3)*0.075

in cell **D4**. This formula will add the prices of our items together and then multiply that value by the 7.5% tax rate (which is written as 0.075) to calculate the cost of sales tax.



Co-funded by the Erasmus+ Programme of the European Union



	▼ : × ✓ f _x =(D2+	D3)*0.075			
	А	В	С	D	E
1	Menu Item	Price	Quantity	Total	
2	Empanadas: Beef Picadillo	\$2.99	15	\$44.85	
3	Empanadas: Chipotle Shrimp	\$3.99	10	\$39.90	
4		Tax	Тах	=(D2+D3)*0.075]	
5		Total	Total		
6					

The spreadsheet then follows the order of operations and first adds the values inside the parentheses:

(44.85+39.90) = \$84.75

Then it multiplies that value by the tax rate: **\$84.75*0.075**. The result will show that the sales tax is **\$6.36**.



Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



LEVEL 4

EUROPEAN PERSONAL ASSISTANT

D4	▼ : × ✓ f _x =(D2+	D3)*0.075			
	A	В	С	D	E
1	Menu Item	Price	Quantity	Total	
2	Empanadas: Beef Picadillo	\$2.99	15	\$44.85	
3	Empanadas: Chipotle Shrimp	\$3.99	10	\$39.90	
4		Text	Тах	\$6.36	
5			Total		
5					

Caution: If you do that in a wrong way, meaning that you forget the parenthesis or change multiplication row and so on , you will get a wrong result also.





Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



LEVEL 4

PERSONAL ASSISTANT

To create a complex formula using the order of operations

In our example below, we will use **cell references** along with **numerical values** to create a complex formula that will calculate the **total cost** for a catering invoice. The formula will calculate the cost for each menu item and add those values together. Lets see some steps producing a complex formula

Step 1: Select the **cell** that will contain the formula. In our example, we'll select cell **C4**.


	А	В	С	D
1	Menu Item	Price	Quantity	
2	Tamales: Chicken Tinga	\$2.29	20	
3	Empanadas: Apple Cinnamon	\$3.49	35	
4		Total	¢	
5				



Co-funded by the Erasmus+ Programme of the European Union



Step 2: Enter your formula. In our example, we'll type =B2*C2+B3*C3. This formula will follow the order of operations, first performing multiplication: 2.29*20 = 45.80 and 3.49*35 = 122.15. Then it will add those values together to calculate the total: 45.80+122.15.



Step 3: Double-check your formula for accuracy, then press Enter on your keyboard. The formula will calculate and display the result. In our example, the result shows that the total cost for the order is \$167.95.




Co-funded by the Erasmus+ Programme of the European Union



C4	\bullet : $\times \checkmark f_x$	=B2*C2+B3*C3					
	A	В	С	D			
1	Menu Item	Price	Quantity				
2	Tamales: Chicken Tinga	\$2.29	20				
3	Empanadas: Apple Cinnamon	\$3.49	35				
4		Total	\$167.95				
5							

Notice: You can add parentheses to any equation to make it easier to read. While it won't change the result of the formula in this example, we could enclose the multiplication operations within parentheses to clarify that they will be calculated before the addition.





Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



す

LEVEL

PERSONAL ASSISTANT

Nested If

The IF function in Excel can be nested, when you have multiple conditions to meet. The FALSE value is being replaced by another IF function to make a further test.

Before we continue lets see an example using the **if function**.

Example using IF Function:

"The scores of some students are given in a table along with their names. Now for finding the Result of these students, we can use an IF statement. As you can see in the above image I have also defined the Pass and Fail criteria for these students. Sores above 50 are considered PASS, while scores that are below or equal to 50 are considered FAIL."



Co-funded by the Erasmus+ Programme of the European Union



In this scenario we can use a formula:

=IF(B2<=50,"Fail","Pass")

seeing in the picture below.

C2	2 - : × .	f _x	=IF(B2<=50, "Fail", "Pass")				
	А	В	С	D	E	F	
1	Student Name	Scores	Result				
2	BRUCE GEYER	37	Fail	-			
3	ELIZABETH STERN	73	Pass		Criteria	Result	
4	MASATOSHI HENDERSON	62	Pass		Below or Equal to 50	Fail	
5	CHRISTINE YOSHIMURA	43	Fail		Above 50	Pass	
6	JOHN ADAMSON	35	Fail				
7	IRVING PIANKA	86	Pass				
8	EILEEN HAAS	81	Pass				
9	VINCENZO KWAN	50	Fail				
10							
11							



Co-funded by the Erasmus+ Programme of the European Union



Now, what this means.

This formula means that first we are comparing the number at B2 i.e. 37 (Score of First Student) with our condition.

This expression boils down to $(37 \le 50)$ i.e. Is 37 less than or equal to 50, which is True.

Hence the result will be 'Value_if_True' (second parameter of if statement) i.e. "Fail".

Similarly, for the second student the formula will be:

=IF(B3<=50,"Fail","Pass")

etc.



Co-funded by the Erasmus+ Programme of the European Union



Example Using Nested IF Functions

Now lets concentrate on embedded If's

Step 1a: If cell A1 equals 1, the formula returns Bad.

B1		•	=IF(A1=1,"Bad",IF(A1=2,"Good",IF(A1=3,"Excellent","No Valid Score")))									
	А	В	C D E F G H									
1	1	Bad										
2												



Co-funded by the Erasmus+ Programme of the European Union



Step 1b: If cell A1 equals 2, the formula returns Good.

B1		▼ : =	=IF(A1=1,"Bad",IF(A1=2,"Good",IF(A1=3,"Excellent","No Valid Score")))									
	А	В	с	D	E	F	G	н	I.			
1	2	Good										
2												

Step1c: If cell A1 equals 3, the formula returns Excellent.

B1		• : :	=IF(A1=1,"Bad",IF(A1=2,"Good",IF(A1=3,"Excellent","No Valid Score")))									
	А	В	с	D	E	F	G	Н	I.			
1	3	Excellent										
2												



Co-funded by the Erasmus+ Programme of the European Union



Step 1d: If cell A1 equals another value, the formula returns No Valid Score.

B1		* :	=IF(A1=1,"Bad",IF(A1=2,"Good",IF(A1=3,"Excellent","No Valid Score")))										
	А	В		С	D	E	F	G	Н	I.			
1	5	No Vali	d Score										
2													



Co-funded by the Erasmus+ Programme of the European Union



More on Creating complex formulas

Let's take a look on another example.

Step 2a: If cell A1 is less or equal to 10, the formula returns 350.

B1	B1 TIF(A1<=10,350,IF(A1<=20,700,IF(A1<=30,1400,2000)))									
	А		В	с	D	E	F	G	Н	I.
1	(5	350							
2										



Co-funded by the Erasmus+ Programme of the European Union



More on Creating complex formulas

Step 2b: If cell A1 is greater than 10 and less or equal to 20, the formula returns 700.

В	B1 =IF(A1<=10,350,IF(A1<=20,700,IF(A1<=30,1400,2000)))								
	A	В	с	D	E	F	G	Н	I
1	12	2 700							
2									

Or....

B1	B1 =IF(A1<=10,350,IF(A1<=20,700,IF(A1<=30,1400,2000)))								
	А	В	с	D	E	F	G	Н	I
1	20	700							
2									



Co-funded by the Erasmus+ Programme of the European Union



More on Creating complex formulas

Step 2c: If cell A1 is greater than 20 and less or equal to 30, the formula returns 1400.

B1		• : [=IF(A1<=10,350,IF(A1<=20,700,IF(A1<=30,1400, 2000)))						
	А	В	с	D	E	F	G	н	I.
1	27	140	D						
2									

Step 2d: If cell A1 is greater than 30, the formula returns 2000.

B1	EIF(A1<=10,350,IF(A1<=20,700,IF(A1<=30,1400, 2000)))								
	А	В	с	D	Е	F	G	н	1
1	54	2000							
2									



Co-funded by the Erasmus+ Programme of the European Union



AND and OR function

Now that we have reached this point of extreme knowledge... let's take a look how to enrich our Excel If Functions with **AND** or **OR** logical operators.

Microsoft Excel provides 4 logical functions to work with the logical values. The functions are AND, OR, XOR and NOT. You use these functions when you want to carry out more than one comparison in your formula or test multiple conditions instead of just one. As well as logical operators, Excel logical functions return either TRUE or FALSE when their arguments are evaluated.



Co-funded by the Erasmus+ Programme of the European Union



AND and OR function

	Function	Description	Formula Example	Formula Description
The table aside provides a short	AND	Returns TRUE if all of the arguments evaluate to TRUE.	=AND (A2>=10, B2<5)	The formula returns TRUE if a value in cell A2 is greater than or equal to 10, and a value in B2 is less than 5, FALSE otherwise.
summary of what each logical	OR	Returns TRUE if any argument evaluates to TRUE.	=OR(A2>=10, B2<5)	The formula returns TRUE if A2 is greater than or equal to 10 or B2 is less than 5, or both conditions are met. If neither of the conditions it met, the formula returns FALSE.
function does to help you choose the	XOR	Returns a logical Exclusive Or of all arguments.	=XOR (A2>=10, B2<5)	The formula returns TRUE if either A2 is greater than or equal to 10 or B2 is less than 5. If neither of the conditions is met or both conditions are met, the formula returns FALSE.
right formula for a specific task.	NOT	Returns the reversed logical value of its argument. I.e. If the argument is FALSE, then TRUE is returned and vice versa.	=NOT (A2>=10)	The formula returns FALSE if a value in cell A1 is greater than or equal to 10; TRUE otherwise.



Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



LEVEL 4

PERSONAL ASSISTANT

EUROPEAN

The AND function

The AND function is the most popular member of the logic functions family. It comes in handy when you have to test several conditions and make sure that all of them are met. Technically, the AND function tests the conditions you specify and returns TRUE if all of the conditions evaluate to TRUE, FALSE otherwise.

The syntax for the Excel AND function is as follows:

AND(logical1, [logical2], ...)

Where logical is the condition you want to test that can evaluate to either TRUE or FALSE. The first condition (logical1) is required, subsequent conditions are optional.



Co-funded by the Erasmus+ Programme of the European Union



The AND function

Since you got that, let's look at some formula examples that demonstrate how to use the AND functions in Excel formulas.

Formula	Description
=AND (A2="Bananas", B2>C2)	Returns TRUE if A2 contains "Bananas" and B2 is greater than C2, FALSE otherwise.
=AND (B2>20, B2=C2)	Returns TRUE if B2 is greater than 20 and B2 is equal to C2, FALSE otherwise.
=AND(A2="Bananas", B2>=30, B2>C2)	Returns TRUE if A2 contains "Bananas", B2 is greater than or equal to 30 and B2 is greater than C2, FALSE otherwise.



Co-funded by the Erasmus+ Programme of the European Union



And in an Excel sheet...

	Α	В	C	D	E	F	
1	Product	In Stock	Sold	Formula 1	Formula 2	Formula 3	
2				=AND(A2="Bananas", B2>C1)	=AND(B2>20, B2=C2)	=AND(A2="Bananas", B2>=30, B2>C2)	
3	Bananas	30	20	TRUE	FALSE	TRUE	
4	Oranges	40	40	FALSE	TRUE	FALSE	
5	Bananas	20	20	FALSE	FALSE	FALSE	
6	Oranges	40	10	FALSE	FALSE	FALSE	



Co-funded by the Erasmus+ Programme of the European Union



The AND function - Common Uses

By itself, the Excel AND function is not very exciting and has narrow usefulness.

But in combination with other Excel functions, **AND** can significantly extend the capabilities of your worksheets.

One of the most **common uses** of the Excel **AND** function is found in the logical_test argument of the IF function to test several conditions instead of just one. For example, you can nest any of the AND functions above inside the IF function and get a result similar to this:

=IF(AND(A2="Bananas", B2>C2), "Good", "Bad")



Co-funded by the Erasmus+ Programme of the European Union



The AND function - Common Uses

And in an Excel sheet...

D2	2	• : X	✓ fx	=IF(AND(A2="Bananas", B2>C2), "Good", "Bad")
	А	В	С	D
1	Product	In Stock	Sold	IF formula
2	Bananas	30	20	Good
3	Oranges	40	40	Bad
4	Bananas	20	20	Bad
5	Oranges	40	10	Bad



Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



LEVEL 4

PERSONAL ASSISTANT

EUROPEAN

The OR function

As well as **AND**, the Excel **OR** function is a basic logical function that is used to compare two values or statements.

The difference is that the OR function returns TRUE if at least one if the arguments evaluates to TRUE, and returns FALSE if all arguments are FALSE.

The OR function is available in all versions of Excel 2000 – 20XX.



Co-funded by the Erasmus+ Programme of the European Union



LEVEL 4

PERSONAL ASSISTANT

EUROPEAN

The syntax of the Excel OR function is very similar to AND:

OR(logical1, [logical2], ...)

Where logical is something you want to test that can be either TRUE or FALSE. The first logical is required, additional conditions are optional.



Co-funded by the Erasmus+ Programme of the European Union



The OR function

Since you got that too, let's look at some formula examples that demonstrate how to use the **OR** functions in Excel formulas.

Formula	Description
=OR(A2="Bananas", A2="Oranges")	Returns TRUE if A2 contains "Bananas" or "Oranges", FALSE otherwise.
=OR(B2>=40, C2>=20)	Returns TRUE if B2 is greater than or equal to 40 or C2 is greater than or equal to 20, FALSE otherwise.
=OR (B2=" ", C2="")	Returns TRUE if either B2 or C2 is blank or both, FALSE otherwise.



Co-funded by the Erasmus+ Programme of the European Union



The OR function

And in an Excel sheet...

	А	В	С	D	E	F
1	Product	In Stock	Sold	Formula 1	Formula 2	Formula 3
2				=OR(A2="Bananas", A2="Oranges")	=OR(B2>=40, C2>=20)	=OR(B2="", C2="")
3	Bananas	30	10	TRUE	FALSE	FALSE
4	Oranges		20	TRUE	TRUE	TRUE
5	Cherries	20		FALSE	FALSE	TRUE
6	Oranges	30	10	TRUE	FALSE	FALSE
7	Cherries			FALSE	FALSE	TRUE



Co-funded by the Erasmus+ Programme of the European Union



The AND and OR function – Together

As well as Excel AND function, OR is widely used to expand the usefulness of other Excel functions that perform logical tests, e.g. the IF function. Here are just a couple of examples:



Co-funded by the Erasmus+ Programme of the European Union



IF function with nested OR

=IF(OR(B2>30, C2>20), "Good", "Bad")

The formula returns "*Good*" if a number in cell B3 is greater than 30 or the number in C2 is greater than 20, "*Bad*" otherwise.



Co-funded by the Erasmus+ Programme of the European Union



Excel AND / OR functions in one formula

Naturally, nothing prevents you from using both functions, AND & OR, in a single formula if your business logic requires this. There can be infinite variations of such formulas that boil down to the following basic patterns:

=AND(OR(Cond1, Cond2), Cond3)

=AND(OR(Cond1, Cond2), OR(Cond3, Cond4)

=OR(AND(Cond1, Cond2), Cond3)

=OR(AND(Cond1,Cond2), AND(Cond3,Cond4))



Co-funded by the Erasmus+ Programme of the European Union



Excel AND / OR functions in one formula

For example, if you wanted to know what consignments of bananas and oranges are sold out, i.e. "In stock" number (column B) is equal to the "Sold" number (column C), the following OR/AND formula could quickly show this to you:

=OR(AND(A2="bananas", B2=C2), AND(A2="oranges", B2=C2))



Co-funded by the Erasmus+ Programme of the European Union



Excel AND / OR functions in one formula

And in an Excel sheet...

E2		- : 🗙	✓ fx		D(A2="bananas", B2=C ="oranges", B2=C2))	2),
	А	В	С	D	E	F
1	Product	In Stock	Sold	Supplier	Bananas & oranges sold out	
2	Apples	40	30	Peter	FALSE	
3	Bananas	30	20	Josh	FALSE	
4	Oranges	40	40	Peter	TRUE	
5	Bananas	30	20	Peter	FALSE	
6	Oranges	40	10	Josh	FALSE	
7	Bananas	50	50	Josh	TRUE	



Co-funded by the Erasmus+ Programme of the European Union



OR function in Excel-conditional formatting

=OR(\$B2="", \$C2="")

The rule with the above OR formula highlights rows that contain an empty cell either in column B or C, or in both.

	Α	В	С	D	E	F	G	Н	Ι	
1	Product	In Stock	Sold							
2	Bananas	30	20							
3	Apples	40	40							
4	Bananas		20							
5	Cherries	40	30							
6	Lemons	50								
	how formatt	d in order sho	This Work Edit Rule own) Form	isheet) <u>× D</u> el nat AaBbCcYy	Zz =S	plies to A\$2:\$C\$6			Stop If Tru	Je
							OK	Close	App	oly



Co-funded by the Erasmus+ Programme of the European Union



Sorting

Let's watch the video: https://www.youtube.com/watch?v=h2kEut1xsMU





Co-funded by the Erasmus+ Programme of the European Union



Data validation

Add data validation to a cell or a range


1. Select one or more cells to validate.

2. On the Data tab, in the Data

Tools group, click Data Validation.

3. On the **Settings** tab, in the **Allow** box, select **List**.

4. In the **Source** box, type your list values, separated by commas.



		->		→□
Text to	Flash	Remove	Data	Consolidate
Columns	Fill	Duplicates	Validation •	

Da	ta Valida	tion			?	×
s	ettings	Input Message	Error Alert			
v	alidation	criteria				
	<u>A</u> llow: Any val	ue	V Igno	ore blank		
	Any valu Whole i Decimal	number				
	List Date Time Text Ien Custom					
	Apply	these changes to a	all other cells	with the same s	settings	
	<u>C</u> lear All			ОК	Can	cel



Co-funded by the Erasmus+ Programme of the European Union




Data validation

Now, instead of typing your list values in the data validation **Source** box, you add the name that you just defined, preceded by an Equal (=) sign.

5. Make sure that the **In-celldropdown** check box is selected.Otherwise, you won't be able to see the drop-down arrow next to the cell.

6. To specify how you want to handle blank (null) values, select or clear the **Ignore blank** check box.



***	**
*	*
*	*
**,	**

Co-funded by the Erasmus+ Programme of the European Union

Department G H Department G H Sales Image: Constraint of the state of the stat						
Sales Image: Constraint of the state of	D	Е	F	G	н	
Data Validation ? Settings Input Message Validation criteria Allow: List ✓ Data: between Source:	Department					
Settings Input Message Error Alert Validation criteria Allow: List Ignore blank Data: In-cell dropdown between Source:	Sales	•				
Validation criteria <u>A</u> llow: List v Ignore <u>b</u> lank Data: v In-cell dropdown <u>between v</u> <u>S</u> ource:	Data Validation				?	×
Validation criteria <u>A</u> llow: List v Ignore <u>b</u> lank Data: v In-cell dropdown <u>between v</u> <u>S</u> ource:	Settings Input	t Message	Error Alert			
List Data: between Source:		a				
Data: In-cell dropdown between Source:	Allow:	-				
between v	List			-		
<u>S</u> ource:	Data:		<u>I</u> n-cell	l dropdown		
	between		\sim			
=Departments Defined Name	Source:					
	=Departments	Define	d Name	1		
Apply these changes to all other cells with the same settings	Apply these c	hanges to al	ll other cells wi	ith the same se	ettings	
<u>C</u> lear All OK Cancel	<u>C</u> lear All		E	ОК	Car	ncel



Names and named ranges

To define a name for a cell or cell range on a worksheet:

1. Select the cell, range of cells, or nonadjacent selections that you want to name.

2. Click the **Name** box at the left end of the formula bar.



Name box

3. Type the name that you want to use to refer to your selection. Names can be up to 255 characters in length. Press ENTER.




Co-funded by the Erasmus+ Programme of the European Union



Names and named ranges

Define a name by using a selection of cells in the worksheet You can convert existing row and column labels to names.

- 1. Select the range that you want to name, including the row or column labels.
- 2. On the Formulas tab, in the Defined Names group, click Create from Selection.



3. In the **Create Names from Selection** dialog box, designate the location that contains the labels by selecting the **Top row**, **Left column**, **Bottom row**, or **Right column** check box. A name created by using this procedure refers only to the cells that contain values and does not include the existing row and column labels.



Co-funded by the Erasmus+ Programme of the European Union



Protecting worksheets

You can lock for editing:

- Formulas: If you don't want other users to see your formulas, you can hide them from being seen in cells or the Formula bar. For more information, see Hide and protect formulas.

- **Ranges**: You can enable users to work in specific ranges within a protected sheet. For more information, see Lock or unlock specific areas of a protected worksheet.





Co-funded by the Erasmus+ Programme of the European Union



Protecting worksheets

Step 1:

Unlock any cells that needs to be editable

In your Excel file, select the worksheet tab that you want to protect.

Select the cells that others can edit.

Right-click anywhere in the sheet and select **Forma Cells** (or use **Ctrl+1**, or **Command+1** on the Mac), and then go to the **Protection** tab and clear **Locke**





Co-funded by the Erasmus+ Programme of the European Union



Protecting worksheets

Step 2: Protect the worksheet

On the Review tab, click Protect Sheet.

In the **Allow all users of this worksheet to** list, select the elements you want people to be able to change.

Optionally, enter a password in the **Password to unprotect sheet** box and click **OK**. Reenter the password in the **Confirm Password** dialog box and click **OK**.





Co-funded by the Erasmus+ Programme of the European Union



す

Create your spreadsheet

EUPANEXT_LO_112_M_01



*** * * * *

Co-funded by the Erasmus+ Programme of the European Union This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein

Methodological 1001



Revision questions

- Identify the functionalities of a spreadsheet that are necessary for the production or amendment of complex spreadsheets
- List more advanced formulas and functions that can be used to manipulate data
- Describe the process of protecting a spreadsheet
- List criteria for the evaluation of the result





Co-funded by the Erasmus+ Programme of the European Union



ASSISTANT PERSONAL EUROPEAN

eupa

next

- Excel spreadsheets organize information
- Formulas and Functions
- What if analysis
- And & or functions

This project has been funded with support from the European Union. This [project] reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein



Co-funded by the Erasmus+ Programme of the European Union



Well Done!

You have completed this unit



Co-funded by the Erasmus+ Programme of the European Union

